

# Breastfeeding – Information & FAQs

---

**Drs. Joanna, Sarah, and Victoria Bedell encourage all eligible mothers to breastfeed if possible. As further described below, there are many advantages to breastfeeding. However, we understand that there are many factors involved in a woman’s decision to breastfeed and therefore support whichever choice is best for you.**

## ***How long should I breastfeed my baby?***

EXCLUSIVE breastfeeding is recommended for the first 6 months of a baby’s life. Breastfeeding should continue up to the baby’s first birthday as new foods are introduced. You can keep breastfeeding after the baby’s first birthday for as long as you and your baby would like.

## ***How does breastfeeding benefit my baby?***

Breastfeeding is best for your baby for the following reasons:

- Breast milk has the right amount of fat, sugar, water, protein, and minerals needed for a baby’s growth and development. As your baby grows, your breast milk changes to adapt to the baby’s changing nutritional needs.
- Breast milk is easier for the baby to digest than formula.
- Breast milk contains antibodies that protect infants from certain illnesses, such as ear infections, diarrhea, respiratory illnesses, and allergies. The longer your baby breastfeeds, the greater the health benefits.
- Breastfed infants have a lower risk of ***sudden infant death syndrome (SIDS)***.
- Breast milk can help reduce the risk of many of the short-term and long-term health problems that preterm babies face.

## ***How does breastfeeding benefit me?***

Breastfeeding is good for you for the following reasons:

- Breastfeeding triggers the release of a hormone called oxytocin that causes the uterus to contract. This helps the uterus return to its normal size more quickly and may decrease the amount of bleeding you have after giving birth.
- Breastfeeding may make it easier to lose the weight you gained during pregnancy.
- Breastfeeding may reduce the risk of breast cancer and ovarian cancer.
- Breastfeeding can save the cost of buying formula.

## ***How do I get my baby to latch onto my breast?***

Holding your baby directly against your bare skin right after birth triggers reflexes that help the baby to attach or “latch on” to your breast. Cup your breast in your hand and stroke your baby’s lower lip with your nipple. The baby will open his or her mouth wide, like a yawn. Pull the baby close to you, aiming the nipple toward the roof of the baby’s mouth. Remember to bring your baby to your breast—not your breast to your baby.

### ***How can I tell if my baby is hungry?***

When babies are hungry, they look alert, bend their arms, close their fists, and bring their fingers to their mouths. Offer your baby your breast when he or she first starts bringing fingers to his or her mouth. Crying is a late sign of hunger, and an unhappy baby will find it harder to latch. When full, babies relax their arms and legs and close their eyes.

### ***How often should I breastfeed my baby?***

Let your baby set his or her own schedule. During the first weeks of life, most babies feed at least 8–12 times in 24 hours, or at least every 2–3 hours (timed from the start time of one feeding to the start time of the next feeding). Many newborns breastfeed for 10–15 minutes on each breast. But they also can nurse for much longer periods (sometimes 60–120 minutes at a time) or feed very frequently (every 30 minutes, which is called “cluster feeding”). Some babies feed from one breast per feeding, while others feed from both breasts. When your baby releases one breast, offer the other. If your baby is not interested, plan to start on the other side for the next feeding.

### ***What should I do if I am having trouble breastfeeding?***

Breastfeeding is a natural process, but it can take some time for you and your baby to learn. Most women can breastfeed. A few women cannot breastfeed because of medical conditions or other problems.

Lots of breastfeeding help is available. Peer counselors, nurses, doctors, and certified lactation consultants can teach you what you need to know to get started. They also can give advice if you run into challenges.

### ***What kinds of foods should I eat while breastfeeding?***

The following tips will help you meet the nutritional goals needed for breastfeeding:

- Your body needs about 450–500 extra calories a day to make breast milk for your baby. If your weight is in the normal range, you need about 2,500 total calories per day.
- Eat fish and seafood 2–3 times a week, but avoid eating fish with high mercury levels. Do not eat shark, swordfish, king mackerel, or tile fish, and limit albacore tuna to 6

ounces a week. If you eat fish caught in local waters, check for advisories about mercury or other pollutants. If no information is available, limit your intake of such fish to 6 ounces a week, and do not eat any other fish that week.

- Drink plenty of fluids, and drink more if your urine is dark yellow.

### ***Can I drink caffeine while breastfeeding?***

Drinking caffeine in moderate amounts (200 mg a day) most likely will not affect your baby. Newborns and preterm infants are more sensitive to caffeine's effects. You may want to consume a lower amount of caffeine in the first few days after your baby is born or if your infant is preterm.

### ***Can I drink alcohol while breastfeeding?***

If you want to have an occasional alcoholic drink, wait at least 2 hours after a single drink to breastfeed. The alcohol will leave your milk as it leaves your bloodstream—there is no need to express and discard your milk. Drinking more than two drinks per day on a regular basis may be harmful to your baby and may cause drowsiness, weakness, and abnormal weight gain.

### ***How do I know if a medication is safe to take while breastfeeding?***

Most medications are safe to take while breastfeeding. Although medications can be passed to your baby in breast milk, levels are usually much lower than the level in your bloodstream. The latest information about medications and their effects on breastfed babies can be found on LactMed, an online database at [www.toxnet.nlm.nih.gov/newtoxnet/lactmed.htm](http://www.toxnet.nlm.nih.gov/newtoxnet/lactmed.htm).

### ***Why is it important to avoid smoking and drug use while breastfeeding?***

Secondhand smoke from cigarettes is harmful to infants and children. It increases the risk of allergies, asthma, and SIDS. Smoking can decrease your milk supply and can make it harder for the baby to gain weight. Be sure not to smoke around the baby.

Using illegal drugs, such as cocaine, heroin, and methamphetamines, and taking prescription drugs for nonmedical reasons can harm your baby if you use them while breastfeeding. And although marijuana is now legal in several states, its use is discouraged during breastfeeding. If you need help stopping drug use, talk with your obstetrician, lactation consultant, or other health care professional.

### ***What birth control methods can I use while breastfeeding?***

Many birth control methods are available that can be used while breastfeeding, including non-hormonal methods (intrauterine devices, condoms, and diaphragms) and hormonal methods

(birth control pills). There are some concerns that hormonal methods of birth control can affect milk supply, especially when you first start breastfeeding, but this data is very limited. If you start using a hormonal method and your milk supply decreases, feel free to speak with Drs. Joanna, Sarah, or Victoria Bedell about other options for preventing pregnancy.

## Breastfeeding Services at Baptist Hospital

---

**Drs. Joanna, Sarah, and Victoria Bedell exclusively deliver at Baptist Hospital which offers several forms of Lactation Services listed below.**

### Before You Have Your Baby

- Prenatal Breastfeeding Classes – these classes provide education for patients who plan to breastfeed AND for patients who are undecided. Spouses/support persons are encouraged to attend. Included will be information for families who want to know more about breastfeeding, nutrition concerns, and options for breastfeeding mothers who return to work.
- Call **786-596-8748** or email at [BaptistChildbirth@BaptistHealth.net](mailto:BaptistChildbirth@BaptistHealth.net).

### While You're in the Hospital

- Breastfeeding assistance from Nurse Specialists and Lactation Consultants – Breastfeeding help is available while you're still in the hospital following your baby's birth. If you have questions while you are in the hospital, you may ask your nurse, who is specialty trained in breastfeeding. She may refer you to a Lactation Consultant (who is a Board-certified specialist in breastfeeding).
- Call **786-596-2671** with questions.

### After You Go Home

- Private Consultation – A lactation consultant is available to assist you after you leave the hospital. To schedule a private appointment, please call **786-596-2671**.
- Support Groups – A free breastfeeding support group meets the first Wednesday of the month, 10-11:30am, at 8950 N. Kendall Dr., Suite 105. Call **786-596-2671** for more info.
- Breast Pump Rentals and Sales – Electric breast pump rentals are available at Baptist Hospital. The lactation consultant can guide you in your decision to use this equipment, as well as explain how the equipment works. Breast pumps are also available for sale as well as nursing bras, nursing pillows, lanolin, breast shells and freezer bags. Call **786-596-2671** with questions.

For more information about breastfeeding services, call the Lactation Consultants at **786-596-2671**, 9am-5pm, weekdays only.